



**TRAILER PRODUCTS**

**NEW ZEALAND PRODUCT CATALOGUE**

# ACKNOWLEDGEMENTS

## Local Manufacturing

The Meher Group is a global company headquartered in Australia, with manufacturing units all over the world.

To best service our customers where we can, products are made and manufactured locally, onsite.

Our range of manufacturing abilities and machinery portfolio is always increasing.

Throughout the catalogue we have used this symbol to indicate which products are locally manufactured.



## Copyright

© Copyright 2023 The Meher Group. All rights reserved.  
New Zealand. Updated February 2023.

No part of this document may be reproduced, transferred or sold without the written permission of The Meher Group.

## Acknowledgements

The time and effort contributed by The Meher Group staff for this catalogue is appreciated, in particular, we acknowledge the contribution of the team at Meher.

## Occupational Health and Safety

Under WorkSafe regulations, employers have the obligation to identify hazards, assess risks and implement control measures relevant to their work environments and activities.

The Meher Group accepts no responsibility for other organisations' inappropriate use of this catalogue. The manufacturer needs to make sure all the hardware is fit for its intended purpose.

## Disclaimer

Every care has been taken by The Meher Group in the compilation of the data contained herein and in verification of its accuracy when published. However, the content of this catalogue is subject to change without notice due to factors outside the control of The Meher Group and this catalogue should, therefore, be used as a guide only.

Procedures and methods described in this catalogue are provided as examples only. If you have any doubt, please contact our technical advisor or a professional.

Jockey Wheels and Stands	4
Couplings and Coupling Accessories	7
Hubs – Lazy	11
Hub Accessories	13
Brakes – Hub Discs	18
Brakes – Hub Discs Kits	19
Brakes – Drums	22
Hub Spare Parts and Accessories	24
Bearing Kits	25
Brake Parts – Calipers	26
Brake Parts – Disc and Drum	28
Springs	32
Spring Kits	39
Spring Parts	41
Spring Accessories	46
Axles	49
Axle Kits	52
U-bolts	54
Fish Plates	56
Mudguards	57
Mudflaps	58
Wheels and Tyres	59
Electrical	60
Accessories	62
Boat Rollers and Skids	64
Roller Accessories	66
Boat Trailer Accessories	74
Plates – Multi Use	76
Box Trailer Accessories	78
Cages and Fences	83
Raw Materials	84
How To Order	85
Order Form	86
Manufacturing Capabilities	88
Worksheets or Notes	98

# JOCKEY WHEELS AND STANDS

## Jockey Wheels



### 6-inch Premium – 400kg Static Load

#### DWBRKTG

6-inch dolly wheel  
– galvanised



#### JWW50150CG

6-inch jockey wheel with  
clamp – galvanised



#### JWS50150BG

6-inch jockey wheel with bolt  
on bracket – galvanised



#### JWS50150G

6-inch jockey wheel with  
U-bolt bracket – galvanised



### 8-inch Premium – 500kg Static Load

#### JWW50200CG

8-inch jockey wheel with  
clamp – galvanised



#### JWS50200BG

8-inch jockey wheel with bolt  
on bracket – galvanised



#### JWS50200G

8-inch jockey wheel U-bolt  
bracket –galvanised



### 10-inch Premium – 500kg Static Load

#### JWW50250CG

10-inch jockey wheel with  
clamp – galvanised



#### JWS50250BG

10-inch jockey wheel with  
bolt on bracket – galvanised



#### JWS50250G


10-inch jockey wheel with  
U-bolt bracket – galvanised



# JOCKEY WHEELS AND STANDS


## JWSSB Jockey Wheel Swivel Bracket

The Meher JWSSB Jockey Wheel Swivel Bracket is designed to be stronger and more sturdy than others. Our four bolt design is far stronger and less likely to bend or deform.



### Strong four bolt design

4 smaller bolts acting as a large single bolt adding strength and durability, reducing the chance of bending.



### Strong handle

Strong plastic coated handle.

## Jockey Wheel Spare Parts



### JW6SPW

6-inch jockey spare wheel



### JW8SW

8-inch jockey spare wheel



### JW10SW

10-inch jockey spare wheel



### JWHANDLE

Handle, universal grub screw and pin



### JWSTBK

Thrust washer suit jockey wheels



### JWSSBB

Swing-up bracket bolt on style weldable



### JWCLAMP

Clamp for jockey wheel

# JOCKEY WHEELS AND STANDS

## JACKU

The Meher JACKU is the perfect solution for changing a wheel on caravans and trailers. The simple to use and smoothside winding operation allows for the caravan to be lifted easily with minimum effort.



### Side winding

Side winding operation.



### Slide clamp

Sliding clamp for all different heights.

## Stand and Accessories



### CVACSJ540G

Swing-up leg suits caravans





### CVACJH

Handle to suit swing-up leg

# COUPLINGS AND COUPLING ACCESSORIES

## NZCO1785G

1 $\frac{7}{8}$ -inch standard 2000kg New Zealand coupling.



### Bolt holder

Grooves in the coupling allow the mounting bolt to be held in position when fastening, making installation easier.

## Couplings



### CFA200050G

50mm coupling 2, 3 and 4 hole 2000kg plunger – galvanised, without brakes



### CO200050G

50mm override coupling 4 hole 2500kg plunger – galvanised



### CO200050HKG

50mm override hydraulic coupling 4 hole 2500kg plunger – galvanised



### CFA350050G

50mm electric coupling 3500kg – galvanised, without handbrake



### CHB350050G

50mm electric coupling 3500kg – with HD ratcheting handbrake



### MBCAG

Brake cable adjuster – galvanised

# COUPLINGS AND COUPLING ACCESSORIES

## Couplings



### CFA2000178G

1 $\frac{7}{8}$ -inch coupling 2, 3 and 4 hole 2000kg plunger – galvanised, without brakes



### CO2000178G

1 $\frac{7}{8}$ -inch override coupling 4 hole 2500kg plunger – galvanised



### CO2000178HKG

1 $\frac{7}{8}$ -inch override hydraulic coupling 4 hole 2500kg plunger – galvanised



### CFA3500178G

1 $\frac{7}{8}$ -inch electric coupling 3500kg – galvanised, without handbrake



1 $\frac{7}{8}$ -inch electric coupling 3500kg – with HD ratcheting handbrake



### MBCAG

Brake cable adjuster – galvanised

## Coupling Spare Parts and Accessories



### ACSC

Clip and spring



### ACAB

Tow ball adjusting bolt



### ACORS

Reversing latch to suit override coupling



### TB503500C

Tow ball, 50mm – 3500kg chrome



### ACOLPINK

Coupling locking pin kit

# COUPLINGS AND COUPLING ACCESSORIES

## Coupling Handbrake Spare Parts

---



**ACOMBHA**  
A-frame handbrake



**BAHBA50G**  
50mm boat trailer handbrake  
– no bolts or bushes

**BAHBA75G**  
75mm boat trailer handbrake  
– no bolts or bushes



**BAHBA90G**  
90mm boat trailer handbrake  
– no bolts or bushes

**BAHBA100G**  
100mm boat trailer handbrake  
– with bolts and bushes

# COUPLINGS AND COUPLING ACCESSORIES

## Hydraulic Coupling Spare Parts



### ACOHBH

Hydraulic coupling handbrake – galvanised



### BHMC3/4

Master cylinder  $\frac{3}{4}$ -inch



### BHMC3/4CAP

Master cylinder cap  $\frac{3}{4}$ -inch



### BHMC7/8

Master cylinder  $\frac{7}{8}$ -inch

## Base Plates



### CABP2HN

2-hole base plate for non-braked couplings



### CABP3HN

3-hole base plate for non-braked couplings



### CAB4HN

4-hole base plate for electric and override couplings



## New Zealand Coupling Plates



### CPBNBZ

Coupling plate for non braked standard  
– New Zealand



### CPNBA

Coupling plate for non braked standard  
– Australian




### CPBNZ

Coupling plate late braked  
– New Zealand





## Up to 1750kg Lazy Hub




### Without Bearing Kit

HLMNBN – Natural  
HLMNBG – Galvanised

4 x 4-inch (101.6mm) PCD, 7/16-inch Wheel Nuts

HLGNBN – Natural  
HLGNBG – Galvanised

4 x 3.93-inch (100mm) PCD, 7/16-inch Wheel Nuts



### M139GNNSKS

Premium Japanese Bearings

### M139GNKPS

Premium Chinese Bearings

### M139GSTK

Premium Chinese Bearings – **NO STUB AXLES**

### Kit contains

2 x M139GN Hubs  
2 x Stub Axles 39mm x 200mm – complete  
2 x Marine Seals  
2 x Seal Retaining Washer SS

2 x LM11949 Bearings  
2 x LM67048 Bearings  
2 x Dust Caps  
8 x Wheel Nuts



### HUB ASSEMBLY

All hubs can be supplied in or with the following;

- With no cones inserted,
- Premium quality Chinese bearings,
- Premium quality Japanese bearings,



# HUBS – LAZY

Up to 1750kg Lazy Hub



## Without Bearing Kit

**HLHTNBN – Natural**  
**HLHTNBG – Galvanised**  
5 x 4.25-inch (107.95mm) PCD  
7/16-inch Wheel Nuts

**HLFNBN – Natural**  
**HLFNBG – Galvanised**  
5 x 4.5-inch (114.3mm) PCD  
1/2-inch Wheel Nuts

**HLHQNBN – Natural**  
**HLHQNBG – Galvanised**  
5 x 4.75-inch (120.65mm) PCD  
7/16-inch Wheel Nuts



## HLFLMGNSKKS – Lazy Hub Ford Set 1500kg with NSK Bearings and Stubs

### Kit contains

2 x HLFNBG Hubs  
2 x Stub Axles 45mm x 215mm – complete  
2 x Marine Seals  
2 x Seal Retaining Washer SS

2 x LM67048 Bearings  
2 x LM12749 Bearings  
2 x Dust Caps  
10 x Wheel Nuts



### HUB ASSEMBLY

All hubs can be supplied in or with the following;

- With no cones inserted,
- Premium quality Chinese bearings,
- Premium quality Japanese bearings,

## Up to 1750kg Lazy Hub




### HLFLMGNSKKS – Lazy Hub Ford Set 1750kg with NSK Bearings and Stubs

#### Kit contains

- |  |                      |
|--|----------------------|
| 2 x HLFNBG Hubs                        | 2 x L68149 Bearings  |
| 2 x Stub Axles 45mm x 215mm – complete | 2 x LM12749 Bearings |
| 2 x Marine Seals                       | 2 x Dust Caps        |
| 2 x Seal Retaining Washer SS           | 10 x Wheel Nuts      |

## Up to 3000kg Lazy Hub



#### Without Bearing Kit

- HLLCNCN – Natural  
HLLCNCG – Galvanised  
6 x 5.5-inch (139.7mm) PCD, ½-inch Wheel Nuts



#### HUB ASSEMBLY

All hubs can be supplied in or with the following;

- With no cones inserted,
- Premium quality Chinese bearings,
- Premium quality Japanese bearings,

# HUB ACCESSORIES

Up to 1750kg Lazy Hub Additional Items – sold separately



**HADC**  
Cap



**HABB**  
Greaseable dust cap



**HABBD**  
Greaseable dust cap  
(suits alloy wheels)



**HABBBRA**  
Greaseable dust cap cover



## Standard Seal Bearing Kit (with cap)

**BKLM-SC**  
1500kg Chinese

**BKLM-SP**  
1500kg Premium



**BKSL-SC**  
1750kg Chinese

**BKSL-SP**  
1750kg Premium



## Marine Seal Bearing Kit (no cap)

**BKLM-MC**  
1500kg Chinese

**BKLM-MP**  
1500kg Premium



**BKSL-MC**  
1750kg Chinese

**BKSL-MP**  
1750kg Premium



### MARINE SEAL INSTALLATION

When assembling a marine seal, it is critical that the seal is greased. Failing to do so will cause the seal to spin on the shaft instead of internally and will lead to failure. We supply the parts unassembled and ungreased standard so that it can be welded and packed with your choice of high quality grease.

## Up to 1500kg Stub Axle – Round



**SALM39200M**  
39mm round, 200mm long



**SALM39200**  
39mm round, 200mm long



**SALM39250**  
39mm round, 250mm long



## Up to 1500kg Stub Axle – Square



**SALM40250**  
40mm square, 250mm long



**SALM40305**  
40mm square, 305mm long



**SALM45S250MN**  
40mm braked square, 250mm long



### CUSTOM SPECIFICATIONS

Meher can now manufacture axle beams to customer specifications. See order form on pages 42-43 to fill in and provide us with your specifics and we will build for you.

# HUB ACCESSORIES

## Up to 1750kg Stub Axle – Round and Square



**SASL45215**  
45mm round, 215mm long



**SASL45250**  
45mm round, 250mm long



**SASL45305**  
45mm round, 305mm long



**SASL45S250MN**  
45mm braked square, 250mm long



## Up to 2000kg Stub Axle – Square



**SALC50300**  
50mm square, 300mm long



### CUSTOM SPECIFICATIONS

Meher can now manufacture axle beams to customer specifications. See order form on pages 42-43 to fill in and provide us with your specifics and we will build for you.

**Additional Items – sold separately**



**HADC63**  
Cap



**6 x WN12**  
Wheel nuts



**SALC50293**  
Stub axle



**Standard Seal Bearing Kit (with cap)**  
**BK2T-67048/25580SP**  
Premium



**Marine Seal Bearing Kit (no cap)**  
**BK2T-67048/25580MP**  
Premium



**SASPZ**  
Axle split pin 32mm x 25mm



**SANUT3/4**  
Axle nut 3/4-inch UNF



**SAFWZ**  
Axle washer



# BRAKES – HUB DISCS

**Hub Discs – New Zealand Style**

**Disc Rotor – Up to 1750kg – Hydraulic and Mechanical**

---



**Without Bearing Kit**

**HDF9NBG – Galvanised**

5 x 4.5-inch (114.3mm) PCD, ½-inch Wheel Nuts



**Without Bearing Kit**

**HDF9NBGSS – Stainless Steel**

5 x 4.5-inch (114.3mm) PCD, ½-inch Wheel Nuts



# BRAKES – HUB DISCS KITS



## With NSK Bearings and Stubs\*

### HDF9LMGKS

1500kg Ford disc hub braked set

#### Kit contains

- 2 x HDF9NBG Hubs
- 2 x Stub Axles 45mm x 250mm – complete
- 2 x Marine Seals
- 2 x Seal Retaining Washer SS
- 2 x LM11949 Bearings
- 2 x LM67048 Bearings
- 2 x Dust Caps
- 10 x Wheel Nuts

### HDF9SLGKS

1750kg Ford disc hub braked set

#### Kit contains

- 2 x HDF9NBG Hubs
- 2 x Stub Axles 45mm x 215mm – complete
- 2 x Marine Seals
- 2 x Seal Retaining Washer SS
- 2 x L68149 Bearings
- 2 x LM12749 Bearings
- 2 x Dust Caps
- 10 x Wheel Nuts



## With NSK Bearings and Stubs\*

### HDF9LMSSKS

1500kg Ford SS disc hub braked set

#### Kit contains

- 2 x HDF9NBGSS Hubs
- 2 x Stub Axles 45mm x 250mm – complete
- 2 x Marine Seals
- 2 x Seal Retaining Washer SS
- 2 x LM11949 Bearings
- 2 x LM67048 Bearings
- 2 x Dust Caps
- 10 x Wheel Nuts

### HDF9SLSSKS

1750kg Ford SS disc hub braked set

#### Kit contains

- 2 x HDF9NBGSS Hubs
- 2 x Stub Axles 45mm x 250mm – complete
- 2 x Marine Seals
- 2 x Seal Retaining Washer SS
- 2 x L68149 Bearings
- 2 x LM12749 Bearings
- 2 x Dust Caps
- 10 x Wheel Nuts



**\* PLEASE NOTE:** All Hub Kits are available without stub axles.

# BRAKES – HUB DISCS KITS

**Hub Discs – New Zealand Style**

**Disc Rotor – Up to 1750kg – Hydraulic and Mechanical**



## **With NSK Bearings and Stubs\***

### **HDF9LMGKSC – Galvanised**

1500kg braked set with calipers

#### **Kit contains**

- 2 x HDF9NGB Hubs
- 2 x HBCFGNZ Calipers
- 2 x Stub Axles 45mm x 250mm – complete
- 2 x Marine Seals
- 2 x Seal Retaining Washer SS
- 2 x LM11949 Bearings
- 2 x LM67048 Bearings
- 2 x Dust Caps
- 10 x Wheel Nuts

### **HDF9SLGKC – Galvanised**

1750kg braked set with calipers

#### **Kit contains**

- 2 x HDF9NGB Hubs
- 2 x HBCFGNZ Calipers
- 2 x Stub Axles 45 mm x 250mm – complete
- 2 x Marine Seals
- 2 x Seal Retaining Washer SS
- 2 x LM12749 Bearings
- 2 x L68149 Bearings
- 2 x Dust Caps
- 10 x Wheel Nuts



**\* PLEASE NOTE: All Hub Kits are available without stub axles.**

## Hub Discs – New Zealand Style

Disc Rotor – Up to 1750kg – Hydraulic and Mechanical



### With NSK Bearings and Stubs\*

#### HDF9SSNSKK – Stainless Steel

1500kg braked set with calipers

##### Kit contains

- 2 x HDF9NBSS Hubs
- 2 x HBCFSS Calipers
- 2 x Stub Axles 45mm x 250mm – complete
- 2 x Marine Seals
- 2 x Seal Retaining Washer SS
- 2 x LM11949 Bearings
- 2 x LM67048 Bearings
- 2 x Dust Caps
- 10 x Wheel Nuts

#### HDF9SLSSNSKK – Stainless Steel

1750kg braked set with calipers

##### Kit contains

- 2 x HDF9NBSS Hubs
- 2 x HBCFSS Calipers
- 2 x Stub Axles 45mm x 250mm – complete
- 2 x Marine Seals
- 2 x Seal Retaining Washer SS
- 2 x LM12749 Bearings
- 2 x L67049 Bearings
- 2 x Dust Caps
- 10 x Wheel Nuts



**\* PLEASE NOTE:** All Hub Kits are available without stub axles.

# BRAKES – DRUMS

Up to 1500kg 9-inch x 1-3/4-inch – Hydraulic and Mechanical



## Without Bearing Kit

### HHCDNB9G – Galvanised

5 x 4.7-inch (120mm) PCD, 7/16-inch Wheel Nuts

### HHFNB9G – Galvanised

5 x 4.5-inch (114.3mm) PCD, 1/2-inch Wheel Nuts



### ELB10K

1500kg 10-inch electric brake kit

#### Kit contains

1 x EB10LB Electric Backing Plate Left  
1 x EB10RB Electric Backing Plate Right  
2 x HEFNB10N Drum  
2 x LM67048 Bearings  
2 x LM11949 Bearings

2 x Marine Seals  
2 x Seal Retaining Washer SS  
2 x Dust Caps  
2 x Stub Axles  
10 x Wheel Nuts



## Up to 1750kg 10-inch x 2-1/4-inch – Electric



### Without Bearing Kit

#### HEFNB10G – Galvanised

5 x 4.5-inch (114.3mm) PCD, 1/2-inch Wheel Nuts

#### HEFNBG10N – Natural

6 x 5.5-inch (139.7mm) PCD, 1/2-inch Wheel Nuts



#### ELB10K1750

1750kg 10-inch electric brake kit

#### Kit contains

- 1 x EB10LB Electric Backing Plate Left
- 1 x EB10RB Electric Backing Plate Right
- 2 x HEFNB10N Drum
- 2 x L67049 Bearings
- 2 x LM11249 Bearings

- 2 x Marine Seals
- 2 x Seal Retaining Washer SS
- 2 x Dust Caps
- 2 x Stub Axles
- 10 x Wheel Nuts

## Up to 2000kg 12-inch x 2-inch – Electric



### Without Bearing Kit

#### HELCNB12G – Galvanised

6 x 5.5-inch (139.7mm) PCD, 1/2-inch Wheel Nuts

# HUB SPARE PARTS AND ACCESSORIES

**Additional Items – sold separately**



**For wheel nut information see opposite**

**HADC63**  
Cap



**SALC50293**  
Stub axle



**Standard seal bearing kit (with cap)**

**BK2T-15123/30210SP**



**HABBBRA**  
Greaseable dust cap bra



**HABB**  
Greaseable dust cap, 45mm



**HABBD**  
Greaseable dust cap suits  
Meher alloy wheels



**HADC**  
Dust cap, 45mm



**SASPZ**  
Axle split pin 32mm x 25mm



**SANUT3/4**  
Axle nut 3/4-inch UNF



**SAFWZ**  
Axle washer



**WN716Z**  
Wheel nut 7/16-inch



**WN12Z**  
Wheel nut 1/2-inch UNF



**HAWS716Z**  
Wheel stud 7/16-inch UNF  
zinc finish



**HAWS12G**  
Wheel stud 1/2-inch UNF  
zinc finish.

## Standard Seal



**BKLM-SS – Chinese**  
**BKLM-SP – Premium**

1500kg standard seal bearing kit.  
Includes standard cap and split pin.



**BKSL-SS – Chinese**  
**BKSL-SP – Premium**

1750kg standard seal bearing kit.  
Includes standard cap and split pin.



**BK2T-15123/30210SP – Premium**

3000kg – 31.7mm x 61.9mm and HR30210 – 50.0mm x 89.9mm.  
Includes 63mm cap, split pin and standard seal.



**BK2T-67048/25580SP – Premium**

3000kg – 31.7mm x 59.1mm and Z5580/20 – 44.4mm x 82.8mm.  
Includes 63mm cap, split pin and standard seal.

## Marine Seal



**BKLM-MS – Chinese**  
**BKLM-MP – Premium**

1500kg marine seal bearing kit.  
Cap not included for those using greaseable caps.



**BKSL-MS – Chinese**  
**BKSL-MP – Premium**

1750kg marine seal bearing kit.  
Cap not included for those using greaseable caps.



**BK2T-67048/25580MP – Premium**

3000kg – 31.7mm x 59.1mm and 44.4mm x 82.8mm.  
Includes 63mm cap, split pin and marine seal.



**BK2T-15123/30210MP – Premium**


3000kg – 31.7mm x 61.9mm and HR30210 – 50.0mm x 89.9mm.  
Includes 63mm cap, split pin and marine seal.



# BRAKE PARTS – CALIPERS


## MBCGND

Mechanical caliper with brake pad retaining springs – galvanised.



### Special spring

Engineered to last longer and be durable, so reduces the need to replace.



### Relaxing springs

Special springs to retreat brake pads when not in use.

## Calipers



### HBCFGNZ

Hydraulic caliper – *Only for New Zealand disc hubs*



### HBCFGAU

Hydraulic caliper – *Only for Australian disc hubs*



### HBCFSS

Hydraulic caliper SS

## Mechanical Caliper Spare Parts



### AMBBPND

Mechanical disc brake pads



### AMBSBND

Mechanical caliper stainless steel bush 12.7 x 17 x 50mm



### AMBCGNDWP

Mechanical caliper T pad pressure plate



### AMBRSK

Mechanical caliper new style spring



### AMBMB716Z

Caliper mounting bolt grade 5 7/16-inch UNF x 2-1/4-inch long



### AMBMP716KG

Mechanical caliper mounting plate

## Hydraulic Caliper Spare Parts



**BHMC3/4**  
3/4-inch master cylinder



**BHMC7/8**  
7/8-inch master cylinder



**BHMC1**  
1-inch master cylinder



**AHBPAD**  
Hydraulic caliper brake pad to suit 1 caliper



**AHBPADSS**  
Hydraulic caliper brake pad stainless steel backing to suit 1 caliper



**AMBMP12KG**  
Caliper mounting plate suits 40mm and 45mm axles



**AHBOLT**  
Hydraulic caliper stud



**AHPINBOOT**  
Hydraulic caliper arm sandwich seal



**AHPISTON**  
Hydraulic piston



**AHPSEAL**  
Hydraulic wiper seal



**AHORING**  
Hydraulic piston seal



**AHBSCREW**  
Hydraulic caliper bleed screw



**AHBUSH**  
Hydraulic caliper slide pin bush



**AHMBOLT**  
Mounting bolt with washer for hydraulic caliper



**AHPIN**  
Slide pin



**AHSCREWCAP**  
Screw cap for hydraulic caliper



**CALIKT1**  
Caliper repair kit – suits 1 caliper  
**Kit contains**  
1 x Piston O ring  
1 x Piston seal  
2 x Pin boots

# BRAKE PARTS – DISC AND DRUM

## Mechanical Disc and Drum Spare Parts



**MBCA**  
Brake Cable Kit – includes  
10 metre cable 4mm, 2 clamps  
and cable adjuster



**AMBCAG**  
Cable adjuster – galvanised



**MBCPC**  
Cable 4mm nylon-coated –  
per metre – galvanised



**MBCSS4PC**  
Cable 4mm nylon coated  
stainless steel – per metre



**MBCSS5PC**  
Cable 5mm – per metre  
– stainless steel



**BAWRCSS**  
Cable clamp 4.8mm –  
stainless steel



**BAWRC**  
Cable clamp 8mm –  
galvanised

## Mechanical Drum Spare Parts



**MB9L**  
Mechanical backing plate left



**MB9R**  
Mechanical backing  
plate right



**SAWEMR39N**  
Mechanical weld plate  
39mm round



**SAWEMS40N**  
Mechanical weld plate  
40mm square



**SAWEMR45N**  
Mechanical weld plate  
45mm round



**SAWEMS45N**  
Mechanical weld plate  
45mm square



**BIF716X1-5Z**  
7/16-inch UNF bolt 1-inch  
long grade 5 zinc



**NNI716FZ**  
7/16-inch UNF nyloc nut

# BRAKE PARTS – DISC AND DRUM

## Hydraulic Brake Spare Parts



**BABT**  
Bundy tube brass  $\frac{3}{16}$ -inch  
plastic coated per metre



**BH400**  
Hydraulic hose 400mm long  
female / male



**BH500**  
Hydraulic hose 500mm long  
female / male



**BH400M**  
Hydraulic hose 400mm long  
male / male



**BABTLN**  
 $\frac{3}{8}$ -inch Inverted flare long  
nut suits  $\frac{3}{16}$ -inch tube



**BABTSN**  
 $\frac{3}{8}$ -inch Inverted flare short  
nut suits  $\frac{3}{16}$ -inch tube



**BAHCMC**  
 $\frac{3}{8}$ -inch Inverted flare  
female / male copper  
washer seal



**BAHCFC**  
 $\frac{3}{8}$ -inch Inverted flare  
female / female



**BA3WTP**  
 $\frac{3}{8}$ -inch Inverted flare tee  
bulkhead suits  $\frac{3}{16}$ -inch tube



**BHCLIP**  
Brake hose hairpin clip



**BHBRACKET**  
Brake hose weld / fastening  
bracket




**BACU**  
Copper washers

## Brake Hose Kits



**BHSAKIT**  
Single axle brake hose kit



**BHTAKIT**  
Tandem axle brake hose kit

# BRAKE PARTS – DISC AND DRUM

## Hydraulic Drum Spare Parts



**HB9L**  
Hydraulic backing plate left



**HB9R**  
Hydraulic backing plate right



**SAWHR39N**  
Hydraulic weld plate 39mm  
round hole



**SAWHS40N**  
Hydraulic weld plate 40mm  
square hole



**SAWHR45N**  
Hydraulic weld plate 45mm  
round hole



**SAWHS45N**  
Hydraulic weld plate 45mm  
square hole



**BIF38X1-5Z**  
 $\frac{3}{8}$ -inch UNF bolt 1-inch long  
grade 5 zinc



**NNI38FZ**  
 $\frac{3}{8}$ -inch nyloc nut



# BRAKE PARTS – DISC AND DRUM

## 10-inch and 12-inch Electric Drum Spare Parts



**EB10LP**  
10-inch black backing plate  
– left



**EB10RP**  
10-inch black backing plate  
– right



**EB12LP**  
12-inch black backing plate  
– left



**EB12RP**  
12-inch black backing plate  
– right



**EB12LPG**  
12-inch galvanised backing  
plate – left



**EB12RPG**  
12-inch galvanised backing  
plate – right



**EB10BS**  
10-inch Brake shoes – pair



**EBS**  
Drum spring – stainless steel



**EB10M**  
10-inch electric magnet



**SAWEMR39N**  
10-inch weld plate 39mm  
round



**SAWEMS40N**  
10-inch weld plate 40mm  
square



**SAWEMR45N**  
10-inch weld plate 45mm  
round



**SAWEMS45N**  
10-inch weld plate 45mm  
square



**SAWES50N-12**  
12-inch weld plate 50mm  
square



**NNI716FZ**  
7/16-inch UNF nyloc nut


## Zinc Tech Surface Finish

Using a combination of specialised base and top coats of pure zinc, Zinc Tech technology provides an unprecedented level of protection against corrosion. These versatile coatings are not limited to use in Springs, but are suitable for widespread use in a variety of applications.

Zinc Tech technology provides a much superior protection and durability than Hot Dip Galvanised surface finish especially on Springs eliminating the chance of Hydrogen Embrittlement and Strain-age Embrittlement.

Zinc Tech Coating have been used on our springs for more than a decade and has been time tested to prove excellent results in its performance.

### 50mm x 6mm Eye Slipper Spring\*



**Zinc Tech**

**MTP-D2-ZT** 2 leaf – 500kg



**\* PLEASE NOTE:** For tandem use, a 20% reduction to weight rating is required for non load sharing springs. The above weight ratings are for single axle applications.



## Spring Surface Finishes Comparison

### Zinc Tech

All layers (including base layer) are pure zinc. This concept is used heavily in the automotive sector.

#### Advantages

1. High level of corrosion protection.
2. No change of hydrogen embrittlement.
3. Consistent finish.

### Hot Dip Galvanising

First few layers are mix of zinc and iron, only last layer is pure zinc.

#### Advantages

1. Medium level of corrosion protection.

#### Disadvantages

1. Chance of hydrogen embrittlement.
2. Finish of galvanising can vary.

### Dacromat


#### Advantages

1. No chance of hydrogen embrittlement.
2. Consistent finish.

#### Disadvantages

1. Zinc rich paint.
2. Low level of corrosion protection.
3. Generally only one layer of coating (like normal paint).

### 50mm x 6mm Eye Slipper Spring\*



### Zinc Tech


MTP-D3-ZT 3 leaf – 750kg



**\* PLEASE NOTE:** For tandem use, a 20% reduction to weight rating is required for non load sharing springs. The above weight ratings are for single axle applications.

# SPRINGS


## 50mm x 6mm Deep V Eye Slipper Spring\*



**Zinc Tech**

MTP-DV4-ZT 4 leaf – 1000kg

## 50mm x 6mm Deep V Eye Slipper Springs\*




**Zinc Tech**

MTP-DV5-ZT 5 leaf – 1250kg



**\* PLEASE NOTE:** For tandem use, a 20% reduction to weight rating is required for non load sharing springs. The above weight ratings are for single axle applications.


## 50mm x 6mm Deep V Eye Slipper Spring\*



**Zinc Tech**

MTP-DV6-ZT 6 leaf – 1500kg

## 50mm x 8mm Heavy Duty Deep V Eye Slipper Springs\*



**Zinc Tech**


MTP-HDDV5-ZT 5 leaf – 1500kg



**\* PLEASE NOTE:** For tandem use, a 20% reduction to weight rating is required for non load sharing springs. The above weight ratings are for single axle applications.

# SPRINGS

## 50mm x 6mm Eye Slipper Spring\*




### Zinc Tech

S3ES506ZT 3 leaf – 750kg  
S4ES506ZT 4 leaf – 1000kg

S5ES506ZT 5 leaf – 1250kg  
S6ES506ZT 6 leaf – 1500kg

S8ES506ZT 8 leaf – 1800kg

## 50mm x 6mm Eye Slipper Spring\*



### Black

S3ES506B 3 leaf – 750kg  
S4ES506B 4 leaf – 1000kg


S5ES506B 5 leaf – 1250kg  
S6ES506B 6 leaf – 1500kg

S8ES506B 8 leaf – 1800kg



**\* PLEASE NOTE:** For tandem use, a 20% reduction to weight rating is required for non load sharing springs. The above weight ratings are for single axle applications.

## 45mm x 6mm Eye Slipper Spring\*



### Zinc Tech


S3ES456ZTT 3 leaf – 600kg

S4ES456ZTT 4 leaf – 900kg

S5ES456ZTT 5 leaf – 1000kg

S6ES456ZTT 6 leaf – 1200kg

## 45mm x 6mm Eye Slipper Spring\*



### Black

S3ES456PT 3 leaf – 600kg

S4ES456PT 4 leaf – 900kg

S5ES456PT 5 leaf – 1000kg

S6ES456PT 6 leaf – 1200kg




**\* PLEASE NOTE:** For tandem use, a 20% reduction to weight rating is required for non load sharing springs. The above weight ratings are for single axle applications.



# SPRINGS

## 50mm x 6mm Eye to Eye Tandem Spring~




### Zinc Tech

**S3ES506TZT** 3 leaf – 750kg

**S4ES506TZT** 4 leaf – 1000kg

**S5ES506TZT** 5 leaf – 1250kg

## 50mm x 6mm Eye to Eye Tandem Spring~



### Black

**S3ES506TB** 3 leaf – 750kg


**S4ES506TB** 4 leaf – 1000kg

**S5ES506TB** 5 leaf – 1250kg



**~ PLEASE NOTE:** For any weights over 2000kg, 5/8-inch U-bolts are required.

## 45mm x 6mm Eye Slipper Spring Kit




### Zinc Tech

<b>S4ES456ZTK</b>	4 leaf springs
<b>S5ES456ZT</b>	5 leaf springs
<b>S6ES456ZT</b>	6 leaf springs
<b>S7ES456ZT</b>	7 leaf springs
<b>S9ES456ZT</b>	9 leaf springs

### Kit contains

2 x Springs
2 x Hangers
2 x Slippers
2 x Fish Plates
4 x U Bolts – including nuts and washers
2 x Bolts

## 50mm x 6mm Eye Slipper Spring Kit



### Zinc Tech

<b>MTP-D2-ZTK</b>	2 leaf springs
<b>MTP-D3-ZTK</b>	3 leaf springs
<b>MTP-DV4-ZTK</b>	4 leaf springs
<b>MTP-DV5-ZKT</b>	5 leaf springs
<b>MTP-DV6-ZTK</b>	6 leaf springs
<b>MTP-HDDV5-ZTK</b>	50mm x 8mm heavy duty 5 leaf springs

### Kit contains

2 x Springs
2 x Hangers

### Dacromat

<b>S3ES506DK</b>	3 leaf springs
<b>S4ES506DK</b>	4 leaf springs
<b>S5ES506DK</b>	5 leaf springs
<b>S6ES506DK</b>	6 leaf springs

2 x Slippers
2 x Fish Plates


### Black Painted

<b>S3ES506BK</b>	3 leaf springs
<b>S4ES506BK</b>	4 leaf springs
<b>S5ES506BK</b>	5 leaf springs
<b>S6ES506BK</b>	6 leaf springs

4 x U Bolts – including nuts and washers
2 x Bolts

# SPRINGS KITS

## 50mm x 7mm Eye to Eye Spring Kit



### Painted


- S4EE507PK** 4 leaf springs
- S5EE507PK** 5 leaf springs
- S6EE507PK** 6 leaf springs

### Kit contains

- 4 x Springs
- 4 x Hangers
- 2 x Centre Hangers
- 4 x Fish Plates

- 8 x U Bolts – including nuts and washers
- 1 x Bolt kit
- 2 x Rockers
- 8 x Linkplates

## 60mm x 8mm Eye to Eye Rocker Roller Spring Kit



### Zinc Tech

- S6RRA607ZT** 6 leaf springs
- S7RRA607ZT** 7 leaf springs
- S8RRA607ZT** 8 leaf springs
- S9RRA607ZT** 9 leaf springs

### Black

- S6RRA607B** 6 leaf springs
- S7RRA607B** 7 leaf springs
- S8RRA607B** 8 leaf springs
- S9RRA607B** 9 leaf springs

### Kit contains

- 4 x Springs
- 4 x Hangers
- 2 x Centre Hangers
- 4 x Fish Plates
- 8 x U Bolts – including nuts and washers
- 1 x Bolt kit
- 2 x Rockers

## Front Hangers



### SAFHS4513

Front hanger suits 45mm spring ½-inch hole



### SAFHS6058

Front hanger suits 60mm spring ⅝-inch hole



### SAFRHR6058N

Front hanger suits 60mm rocker spring ⅝-inch hole



### SAFHS3512

Front hanger suits 35mm spring, 12mm Hole



### SAFHS5016

Front hanger suits 50mm spring, 16mm Hole

## Middle Hangers



### SADFHS45

Middle hanger suits 45mm spring ½-inch hole



### SACHE60N

Middle hanger suits 60mm spring ⅝-inch hole



### SACHR45N

Middle hanger suits 47mm rocker arm ¾-inch hole



### SACHN50N

Middle hanger to suit 50mm Spring – New Zealand

# SPRING PARTS

## Rear Hangers and Dumb Jacks



### SARHS45

Rear hanger suits 45mm wide spring



### SARHS50

Rear hanger suits 50mm wide spring



### SARHS60

Rear hanger suits 60mm wide spring



### SADJ45N

Dumb jack wide suits 45mm spring and 22mm outside diameter nylon bush



### SARHOR60N


Dumb jack wide suits 60mm spring and 22mm outside diameter nylon bush

## Shackle Plates



### SPLWF

Shack plate link flat



### SPLWH

Shackle plate link welded hex



## Rocker Arms



**SACRA45EG**  
Centre rocker arm  
eye / shackle – galvanised



**SACRA60EG**  
Centre rocker arm  
eye / shackle – galvanised



**SACRA60N**  
Centre rocker arm  
eye / shackle – galvanised



**SACRA60B – Black**  
**SACRA60G – Galvanised**  
Centre rocker arm eye / eye




**ROCKER**  
Tandem rocker



**ROCKER BUSH**  
Bush to suit rocker


## Spring Pads / Axle Saddles



**AXSN**  
Spring pad suits  
40mm x 40mm square  
axle – black



**AXSG**  
Spring pad suits  
45mm x 40mm spring  
– galvanised



**AXS50G**  
Spring pad suits 50mm  
tube axle

# SPRING PARTS

## Spring Bushes

---



### **SANB122245**

½-inch x ⅞-inch x 1-¾-inch  
(12.7mm x 22.2mm x 45mm)  
nylon bush



### **SANB142245**

⅝-inch x ⅞-inch x 1-¾-inch  
(14.3mm x 22.2mm x 45mm)  
nylon bush



### **SANB162245**

⅝-inch x ⅞-inch x 1-¾-inch  
(15.8mm x 22.2mm x 45mm)  
nylon bush



### **SANB162260**

⅝-inch x ⅞-inch x 2-¾-inch  
(15.8mm x 22.2mm x 60mm)  
nylon bush



### **SASB163360**

⅝-inch x ⅞-inch x 2-¾-inch  
(15.8mm x 22.2mm x 60mm)  
steel bush

## Shock Absorber

---



### **SVASB**

Shock absorber to suit 6 leaf  
rocker roller spring

## Spring Bolts



**SASB12312M0Z**  
½-inch bolt suits 45mm  
spring 3½-inch overall – zinc



**SASB12312M0G**  
½-inch bolt suits 45mm  
spring 3½-inch overall  
– galvanised



**SASB1490 – Non-greaseable**  
**SAGB1490 – Greaseable**  
⅝-inch (14.3mm) bolt suits 45mm and 50mm spring



**SASB1690 – Non-greaseable**  
**SAGB1690 – Greaseable**  
⅝-inch (15.8mm) bolt suits 45mm and 50mm spring



**SASB16100 – Non-greaseable**  
**SAGB16100 – Greaseable**  
⅝-inch (15.8mm) bolt suits 60mm spring



**SASBSS16100 – Non-greaseable**  
**SAGBSS16100 – Greaseable**  
⅝-inch (15.8mm) bolt 304 stainless suits 60mm spring



**SAGCB1985**  
¾-inch (19.0mm) 85mm  
bolt suits rocker roller arm

**SAGCBSS1985**  
¾-inch (19.0mm) 85mm  
304 stainless bolt suits  
rocker roller arm



**SAGCB19100**  
¾-inch (19.0mm) 100mm bolt  
suits rocker roller arm

# SPRING ACCESSORIES

## Suspension Mounts



### SM12SLSN

12-inch Spring single suspension mount – left or right



### SM13SLSN

13-inch Spring single suspension mount – left or right



### SM13STAN

13-inch Torsion axle single suspension mount – left or right



**PLEASE NOTE:** Actual items may differ in style and colour to those pictured.

## Suspension Mounts



### **SM13TTAN**

13-inch Torsion axle tandem suspension mount – left or right



### **SM13TLSN**

13-inch Spring axle tandem suspension mount – left or right



# SPRING ACCESSORIES

## Guard Frames



**SM12LSG – Galvanised**  
12-inch Single suspension mount – left or right



**SM13LSG – Galvanised**  
13-inch Single suspension mount – left or right



**SM14TL SG – Galvanised**  
14-inch Tandem spring suspension mount – left or right



**SM14TR SG – Galvanised**  
14-inch Tandem equalising suspension mount – left or right

## Axle Accessories



**SASP3225**  
Split pin



**SANUT3/4**  
3/4-inch UNF axle nut



**SANUT1x12**  
1-inch x 12 TPI UNF axle nut



**SANUT1x14**  
1-inch x 14 TPI UNS axle nut (standard)



**SAFWZ**  
Axle washer 3/4-inch



**SAFWZ1**  
Axle washer 1-inch

# AXLES

## Up to 1500kg Stub Axle – Round



**SALM39200M**  
39mm round, 200mm long



**SALM39200**  
39mm round, 200mm long



**SALM39250**  
39mm round, 250mm long



## Up to 1500kg Stub Axle – Square



**SALM40250**  
40mm square, 250mm long



**SALM40305**  
40mm square, 305mm long



**SALM45S250MN**  
40mm braked square, 250mm long



### CUSTOM SPECIFICATIONS

Meher can now manufacture axle beams to customer specifications. See order form on pages 52-53 to fill in and provide us with your specifics and we will build for you.

## Up to 1750kg Stub Axle – Round and Square



**SASL45215**  
45mm round, 215mm long



**SASL45250**  
45mm round, 250mm long



**SASL45305**  
45mm round, 305mm long



**SASL45S250MN**  
45mm braked square, 250mm long



## Up to 2000kg Stub Axle – Square



**SALC50300**  
50mm square, 300mm long



### CUSTOM SPECIFICATIONS

Meher can now manufacture axle beams to customer specifications. See order form on pages 52-53 to fill in and provide us with your specifics and we will build for you.



## CUSTOM AXLE KIT SPECIFICATION SHEET

Meher now manufacture braked and non-braked axles to customer specifications. Use the information below as a guide, then fill out the order form opposite with your specifications and we will manufacture and build your kits.

### Axles



What type of axle is need?



Straight



Overlay




Drop



Gullwing

### Brakes



What types of brakes are needed?

None

Lazy

Hydraulic Disc


Mechanical Disc

Hydraulic Drum

Mechanical Drum

Electrical Drum

### Stud patterns



4 x 3.93-inch (100mm) – 7/16-inch Wheel Nuts

4 x 4-inch (101.6mm) – 7/16-inch Wheel Nuts

5 x 4.25-inch (107.95mm) – 7/16-inch Wheel Nuts

5 x 4.5-inch (114.3mm) – 1/2-inch Wheel Nuts

5 x 4.72-inch (120mm) – 7/16-inch Wheel Nuts

5 x 4.75-inch (120.6mm) – 1/2-inch Wheel Nuts

6 x 5.5-inch (139.7mm) – 7/16-inch Wheel Nuts

### Capacity



What is the total weight rating?

Up to 1500kg

Up to 1750kg

### Bearings



What types of bearings are needed?

Premium Chinese

Premium Japanese




**\* PLEASE NOTE:** If this is a new installation, you will be required to fill out an Axle Worksheet. There are extra clearances needed to fit, in some cases your customer may require wider mudguards and an axle extension.



# CUSTOM AXLE KIT ORDER FORM

**Axles** What type of axle is need? (Indicate which type of axle or axles are required by writing the quantity in space provided).


**Straight**



**Overlay**



**Drop**



**Gullwing**



## Specifications

**A Overall Hubface Measurement:**

**B Spring Centre Measurement:**

**C Drop Measurement:**

☐

100mm

☐

Other:

**D Gullwing Drop:**

☐

100mm

☐

Other:

**E Gullwing Width:**

☐

1250mm

☐

1500mm

☐

Other:

**Chassis Width:** (outside to outside in mm)

**Finish**

☐

Duragalv

☐

Galvanised

☐

Bore Steel

**Axle Weight:**

☐

1500kg

☐

1700kg

☐

2000kg

**Box Section Size:**

☐

50x50mm

☐

65x65mm

☐

Other

**Location of Axle:**

☐

Under spring (closer to road)

☐

Over spring (closer to chassis)

**Assembled:**

☐

Yes

☐

No

**Hub Type:**

☐

Unbraked

☐

Disc Brake

☐

Hydraulic Brake

☐

Electric Drum

**Stud Pattern:**

## Customer Details

**Company:**

**Date:**

**Ordered by:**

**Order Number:**

**Address:**

**Phone:**

**Fax:**

**Email:**

**Freight Method**

**Freight:**

**Pick up:**

**Account Number:**


**Charge freight:**

**Meher Trailer Products NZ Ltd**

81A Killarney Lane, Frankton, Hamilton 3204, New Zealand

**All orders or enquiries:** Phone: +64 7 847 4857 Email: [nzsales@themehergroup.co.nz](mailto:nzsales@themehergroup.co.nz)

# U-BOLTS



## M10 U-BOLTS\*\*

	A INTERNAL WIDTH	B INTERNAL LENGTH		A INTERNAL WIDTH	B INTERNAL LENGTH		A INTERNAL WIDTH	B INTERNAL LENGTH
UB102770	27mm	70mm	UB1043100	43mm	100mm	UB106665	66mm	65mm
UB1027100	27mm	100mm	UB1043112	43mm	112mm	UB106685	66mm	85mm
UB104338	43mm	38mm	UB1043125	43mm	125mm	UB107670	76mm	70mm
UB104345	43mm	45mm	UB105575	55mm	75mm	UB107695	76mm	95mm
UB104365	43mm	65mm	UB105595	55mm	95mm	UB108055	80mm	55mm
UB104375	43mm	75mm	UB1055125	55mm	125mm	UB109370	93mm	70mm
UB104385	43mm	85mm	UB106660	66mm	60mm	UB1097100	93mm	100mm

## M12 U-BOLTS\*

	A INTERNAL WIDTH	B INTERNAL LENGTH		A INTERNAL WIDTH	B INTERNAL LENGTH		A INTERNAL WIDTH	B INTERNAL LENGTH
UB123580	35mm	80mm	UB1251225	51mm	225mm	UB127655	76mm	55mm
UB125175	51mm	75mm	UB1255108	55mm	108mm	UB1280105	80mm	105mm
UB1243100	43mm	100mm	UB1255135	55mm	135mm	UB1280120	80mm	120mm
UB124365	43mm	65mm	UB1255160	55mm	160mm	UB1280130	80mm	130mm
UB125150	51mm	50mm	UB1260150	60mm	150mm	UB1280160	80mm	160mm
UB125160	51mm	60mm	UB1263115	63mm	115mm	UB128080	80mm	80mm
UB125082	51mm	82mm	UB1263125	63mm	125mm	UB1280890	80mm	90mm
UB125185	51mm	85mm	UB1268100	68mm	100mm	UB1285110	85mm	110mm
UB1251100	51mm	100mm	UB1268110	68mm	110mm	UB1285135	85mm	135mm
UB1251110	51mm	110mm	UB1268135	68mm	135mm	UB1293110	93mm	110mm



**\* CUSTOM DESIGN:** Meher can now manufacture U-Bolts to customer specifications. If you have a unique size, please contact us and we will make for you.



## M12 U-BOLTS – Continued\*

	<b>A</b> INTERNAL WIDTH	<b>B</b> INTERNAL LENGTH		<b>A</b> INTERNAL WIDTH	<b>B</b> INTERNAL LENGTH		<b>A</b> INTERNAL WIDTH	<b>B</b> INTERNAL LENGTH
UB1250125	51mm	125mm	UB1268145	68mm	145mm	UB12100100	100mm	100mm
UB1251132	51mm	132mm	UB1268170	68mm	170mm	UB12103100	103mm	100mm
UB1250135	51mm	135mm	UB126858	68mm	58mm	UB12103130	103mm	130mm
UB1250140	51mm	140mm	UB126870	68mm	70mm	UB12103155	103mm	155mm
UB1250145	51mm	145mm	UB126890	68mm	90mm	UB12103160	103mm	160mm
UB1251168	51mm	168mm	UB1275100	75mm	100mm	UB1210380	103mm	80mm
UB1251180	51mm	180mm	UB1276115	76mm	115mm	UB1215090	150mm	90mm

## ½-inch U-BOLTS BSW Thread Square – Galvanised\*

UB12100110SGW	½-inch x 100mm x 110mm	UB125080SGW	½-inch x 50mm x 80mm
UB12100130SGW	½-inch x 100mm x 130mm	UB1275110SGW	½-inch x 75mm x 110mm
UB1250110SGW	½-inch x 50mm x 110mm		



**\* CUSTOM DESIGN:** Meher can now manufacture U-Bolts to customer specifications. If you have a unique size, please contact us and we will make for you.

# FISH PLATES



## Suits 45mm Spring – Normal Hole\*

### SAFP455010N

Standard to suit 45mm spring, 50mm axle 6mm thick.  
To suit 10mm U-bolt – natural

## Suits 50mm Spring – Normal Hole\*

### SAFP504010G

Standard to suit 50mm spring, 40mm axle 6mm thick.  
To suit 10mm U-bolt – galvanised

### SAFP505012N

Standard to suit 50mm spring, 50mm axle 6mm thick.  
To suit 12mm U-bolt – natural

### SAFP505012G

Standard to suit 50mm spring, 50mm axle 6mm thick.  
To suit 12mm U-bolt – galvanised

## U Bolt Plate / Suspension Plates\*



### V006312

U-bolt plate

### V006313

U-bolt plate



**\* CUSTOM DESIGN:** Meher can now manufacture Fish Plates to customer specifications.  
If you have a unique size, please contact us and we will make for you.

## Steel Mudguards



**MGP984TP4-1.6N**  
9-inch x 84-inch tandem mudguard plain 1.6mm

**MGP991TP4-1.6N**  
9-inch x 91-inch tandem mudguard plain 1.6mm

**MGP10P4-1.6N**  
10-inch Mudguard single steel plain 1.6mm

**MGP1084TP4-1.6N**  
10-inch x 84-inch tandem mudguard plain 1.6mm



**MGP1091TP4-1.6N**  
10-inch x 91-inch tandem mudguard plain 1.6mm

**MG1196TP4-2N**  
11-inch x 96-inch tandem mudguard plain 2mm natural

**MGP12P4-2N**  
12-inch Mudguard single steel plain 2mm

**MG1296TP4-2N**  
12-inch x 96-inch tandem mudguard plain 2mm natural

## Plastic Mudguards – 13-inch and 14-inch



**MGP13G**  
13-inch grey plastic mudguard

**MGP14G**  
14-inch grey plastic mudguard



**MGP13B**  
13-inch black plastic mudguard

**MGP14B**  
14-inch black plastic mudguard



**MGP13W**  
13-inch white plastic mudguard

**MGP14W**  
14-inch white plastic mudguard

## Steel Mudguard



**BENT GUARD**  
Steel bent mudguards

## Custom Mudguard°



° **CUSTOM DESIGN:** Meher can manufacture any shape and design mudguard.  
If you have a unique size or shape, please contact us and we can make for you.

# MUDFLAPS

## Black\*



MUDFLAPLNZB  
Large



MUDFLAPSNZB  
Small

## White\*



MUDFLAPLNZW  
Large



MUDFLAPSNZW  
Small

## Grey\*



MFAG  
Mudguard flap



**\* CUSTOM DESIGN**  
Meher can add your company logo into or onto mudflaps. Please contact with your requirements and we can create for you.





## 13-inch

<b>W13HTAG</b>	13-inch 5-inch x 4.25-inch – galvanised c/w 155R13C tyre
<b>W13HTAGW</b>	13-inch 5-inch x 4.25-inch – galvanised and white powder coated c/w 155R13C tyre
<b>W13FAG</b>	13-inch 5-inch x 4.5-inch – galvanised c/w 155R13C tyre
<b>W13FAGW</b>	13-inch 5-inch x 4.5-inch – galvanised and white powder coated c/w 155R13C tyre
<b>WA1350HTS165R13C</b>	13-inch 5-inch x 4.25-inch – silver alloy c/w 165R13C tyre
<b>WA1350HTBM165R13C</b>	13-inch 5-inch x 4.25-inch – black alloy c/w 165R13C tyre

## 14-inch

<b>W14HTAG</b>	14-inch 5-inch x 4.25-inch – galvanised c/w 185R14C tyre
<b>W14HTAGW</b>	14-inch 5-inch x 4.25-inch – galvanised and white powder coated c/w 185R14C tyre
<b>W14FAG</b>	14-inch 5-inch x 4.5-inch – galvanised c/w 185R14C tyre
<b>W14FAGW</b>	14-inch 5-inch x 4.5-inch – galvanised and white powder coated c/w 185R14C tyre
<b>WA1460HTS185R14C</b>	14-inch 5-inch x 4.25-inch – silver alloy c/w 185R14C tyre
<b>WA1460HTBM185R14C</b>	14-inch 5-inch x 4.25-inch – black alloy c/w 185R14C tyre

7 Pin Plug and Socket Wiring Specifications



1	Left Hand Turn Signal	Yellow
2	Reversing Signal	Black
3	Earth or Ground	White
4	Right Hand Turn Signal	Green
5	Service Brakes	Blue
6	Stop Lamps	Red
7	Rear, Clearance & Side Marker Lamps	Brown



**EAP7FNP**  
7 pin plastic flat plug with nut



**EAS7FNP**  
7 pin plastic flat socket with nut



**EAP7FNPH**  
7 pin plastic flat plug holder



**EAP7RLA**  
7 pin plug round large aluminium



**EAP7RLP**  
7 pin plastic trailer plug, N type with screws on the body



**EAS7RLA**  
7 pin aluminium trailer socket round style



**EAS7RLFA**  
7 pin aluminium trailer socket side flat sides



**EAS7RLFP**  
7 pin plastic trailer socket, N type side flat style



**EAS7RLP**  
7 pin plastic trailer socket, N type round style



**EAS7RLWP**  
7 pin plastic trailer socket with rubber ring for waterproof

## Wiring, Cables and Pin Accessories



**EA5CC10m**  
5 core cable, cut to length



**EA7CC10m**  
7 core cable, cut to length



**EAA7FP7RLSP**  
Adapter 7 pin flat plug with 7 pin round large socket



**EAA7RLP7FSP**  
Adapter 7 pin round large plug with 7 pin flat socket



**BOXTRLLEDs**  
Led light combination, 12 volt eco



**LIGHTBRACKET**  
LED light bracket, custom to size

## Safety Chains



### CPL8LN

8mm 1600kg trailer safety chain tested and stamped per metre – natural

### CPL8LG

8mm 1600kg trailer safety chain tested and stamped per metre – galvanized

### CPL8-23LGAL

8mm 1600kg trailer safety chain tested and stamped 23 long links – galvanized



### CPL10LN

10mm 2500kg trailer safety chain tested and stamped per metre – natural

### CPL10LG

10mm 2500kg trailer safety chain tested and stamped per metre – galvanized

### CPL13LN

13mm 3500kg trailer safety chain tested and stamped per metre – natural

### CPL13LG

13mm 3500kg trailer safety chain tested and stamped per metre – galvanized

## Bow and Dee Shackles



### UNRATED – Galvanised

#### DS8G

8mm dee shackle 10mm pin

#### DS10G

10mm dee shackle 11mm pin

#### DS12G

12mm dee shackle 16mm pin



### RATED – Galvanised

#### BS8x10YPG

8mm bow shackle 10mm yellow pin

#### BS10x11YPG

10mm bow shackle 11mm yellow pin

#### BS11x13YPG

11mm bow shackle 13mm yellow pin

#### BS13x16YPG

13mm bow shackle 16mm yellow pin

#### DS8x10YPG

8mm dee shackle 10mm yellow pin

#### DS10x11YPG

10mm dee shackle 11mm yellow pin

#### DS11x13YPG

11mm dee shackle 13mm yellow pin

#### DS13x16YPG

13mm dee shackle 16mm yellow pin



### RATED CAPTIVE D SHACKLE

#### DS10X11YGP-CAP

10mm captive dee shackle – rated



### GRONYLM8

M8 nylon grommet anti-loss from shackle to chain

## Locks, Latches and Compliance Plates



**BOXARCWZ**  
Ani-rattle lock weld on



**BOXARCTZ**  
Anti-rattle lock bolt on



**BOXSLCZ**  
Spring bolt



**BOXHTLN**  
Tail gate latch – left hand



**BOXHTRN**  
Tail gate latch – right hand

## Gas Bottle, Jerry Can, Drawer Slides, Caravan Stay Handle and Spare Wheel Carriers



**CVAGB9G**  
Gas bottle holder 9kg  
– galvanised



**JERRYCHG**  
Jerry can holder suits boat  
trailers – galvanised



**BBQSLIDES**  
Drawer slide, 45mm x 12.7mm x 600mm



**CPTWHLG**  
Caravan stay handle



**LASHRG**  
Lashing ring 04400



**SPWCFCG**  
Spare wheel carrier – suits Ford

**SPWCHTSG**  
Spare wheel carrier small, suits HT – galvanised

**SPWCHTLG**  
Spare wheel carrier large, suits HT – galvanised

# BOAT ROLLERS AND SKIDS

## Rubber Rollers to suit Fibreglass and Plastic Boats



### BRB1475

3-inch bow roller assembly  
– black rubber



### BRB14100

4-inch bow roller assembly  
– black rubber



### PRR16100C

4-inch bow roller, 16mm hole  
– black rubber



### PRR16115C

4.5-inch bow roller, 16mm  
hole – black rubber



### PRR20150C

6-inch keel roller, 20mm hole  
– black rubber



### PRR16150S

6-inch Sydney roller, 16mm  
hole – black rubber



### PRR20200C

8-inch keel roller, 20mm hole  
– black rubber



### PRR25300D

12-inch dog bone roller,  
25mm hole – black rubber

## Soft Polly Rollers to suit Fibreglass and Plastic Boats



### BRG1475

3-inch bow roller  
assembly – golden



### BRG14100

4-inch bow roller  
assembly – golden



### VBG16100

4-inch bow wedge,  
16mm hole – golden



### VBG20120

120mm bow wedge,  
20mm hole – golden



### PRG20150C

6-inch keel roller,  
20mm hole – golden



### PRG16150S

6-inch Sydney roller,  
17mm hole – golden



### PRG20200C

8-inch keel roller,  
20mm hole – golden



### PRG25300D

12-inch dog bone roller,  
25mm hole – golden



# BOAT ROLLERS AND SKIDS

## Hard Polly Rollers to suit Aluminium Boats



**PRH16115C**  
4.5-inch cotton roller,  
16mm hole – blue hard plastic



**PRH16150S**  
6-inch Sydney roller,  
16mm hole – blue hard plastic



**PRH20150C**  
6-inch cotton roller,  
20mm hole – blue hard plastic



**PRH20200C**  
8-inch cotton roller,  
20mm hole – blue hard plastic



**PRH20200S**  
8-inch Sydney roller,  
20mm hole – blue hard plastic



**PRH300**  
Blue skid 300mm long



**WRB**  
Blue wobble roller,  
22mm hole



**WRG**  
Grey wobble roller,  
22mm hole



**BLUESKID15**  
Blue plastic skid. Bunk 1.5m



**BLUESKID18**  
Blue plastic skid. Bunk 1.8m



**VB100R**  
V-Block, 100mm



**VB75150NZ**  
V-Block, 75mm



**WRBK**  
Black/white wobble roller,  
26mm hole



**WOB130BB**  
Black/black wobble roller,  
26mm hole



**ROL150B**  
6-inch keel roller – black




**ROL200B**  
8-inch keel roller – black



**ROL280B**  
280mm/11-inch keel roller – black

# ROLLER ACCESSORIES

## Wobble Axles



### MTP450WG450

540mm x 270mm x 270mm – galvanised

### MTP510WG510

660mm x 330mm x 330mm – galvanised

### MTP522WLG522

Left – 532mm x 227mm x 305mm – galvanised

### MTP522WRG522

Right – 532mm x 305mm x 227mm – galvanised

### MTP565WLG565

Left – 490mm x 170mm x 320mm – galvanised

### MTP565WRG565

Right – 490mm x 320mm x 170mm – galvanised

## Wobble Arms

		A	B	C			A	B	C
WA460155L	Left	460mm	155mm	305mm	WA532227L	Left	532mm	227mm	305mm
WA460305R	Right	460mm	305mm	155mm	WA532305R	Right	532mm	305mm	227mm
WA490170L	Left	490mm	170mm	320mm	WA540270		540mm	270mm	270mm
WA490320R	Right	490mm	320mm	170mm	WA555325L	Left	555mm	325mm	230mm
WA520325L	Left	520mm	325mm	195mm	WA5553230R	Right	555mm	230mm	325mm
WA520195R	Right	520mm	195mm	325mm	WA590280L	Left	590mm	280mm	310mm
WA525280L	Left	525mm	280mm	245mm	WA590310R	Right	590mm	310mm	280mm
WA525245R	Right	525mm	245mm	280mm	WA625290L	Left	625mm	290mm	335mm
WA52527540L	Left – high	525mm	275mm	250mm	WA625335R	Right	625mm	335mm	290mm
WA52525040R	Right – high	525mm	250mm	275mm	WA660330		660mm	330mm	330mm

## Rockers

### V006195521

Left and Right – 525mm x 280mm x 245mm

### V006196521

40 push – 525mm x 275mm x 250mm

### V006197525

Left and Right – 520mm x 325mm x 195mm

### V006198605

555mm x 325mm x 230mm


### V006199A17

Left and Right – 590mm x 310mm x 280mm

### V006201A18

Left and Right – 625mm x 335mm x 290mm

## Wobble Arms – Straight



### MTP450WSG450

Straight – 540mm x 270mm x 270mm  
– galvanised

### MTP490WLG490

Left – 365mm x 145mm x 220mm  
– galvanised


### MTP490WRG490

Right – 365mm x 220mm x 145mm  
– galvanised

		A	B	C			A	B	C
<b>WAS365145L</b>	Left	365mm	145mm	220mm	<b>WAS440200L</b>	Left	440mm	200mm	240mm
<b>WAS365220R</b>	Right	365mm	220mm	145mm	<b>WAS440240R</b>	Right	440mm	240mm	200mm
<b>WAS400165L</b>	Left	400mm	165mm	235mm	<b>WAS540270</b>		540mm	270mm	270mm
<b>WAS400235R</b>	Right	400mm	235mm	165mm					

# ROLLER ACCESSORIES

## Tube Arms



### TA360110OG

Tube arm 360mm, 110mm Offset – galvanised



### MTPHDC360LG

Heavy duty carrier – galvanised

A = 434mm B = 360mm C = 135mm



### MTPHDC360RG

Heavy duty carrier – galvanised

A = 434mm B = 135mm C = 360mm



### V006234L

Heavy duty carrier – left


A = 504mm B = 430mm C = 185mm



### V006234R


Heavy duty carrier – right

A = 504mm B = 185mm C = 430mm



		A	B	C			A	B	C
TA360DL	Left	360mm	110mm	250mm	TA400VL	Left	400mm	185mm	215mm
TA360DR	Right	360mm	250mm	110mm	TA400VR	Right	400mm	215mm	185mm
TA345VL	Left	345mm	115mm	245mm	TA430VL	Left	430mm	185mm	245mm
TA345VR	Right	345mm	245mm	115mm	TA430VR	Right	430mm	245mm	185mm
TA360VL	Left	360mm	115mm	245mm	TA535SL	Left	535mm	215mm	320mm
TA360VR	Right	360mm	245mm	115mm	TA535SR	Right	535mm	320mm	215mm


## Arm Carriers



	A	B	C
AC550	550mm	250mm	300mm
AC500	500mm	230mm	270mm
AC600	600mm	273mm	327mm

# ROLLER ACCESSORIES

## Heavy Duty Arm Carriers



<b>HDAC6006535</b>			
Heavy duty arm carrier – 65mm x 35mm	600mm	278mm	322mm
<b>HDAC6007540</b>			
Heavy duty arm carrier – 75mm x 40mm	600mm	274mm	326mm

## Other Accessories



**QAA200**  
200mm quad adjuster arm



**SRA250**  
250mm single rocker adjuster



**CB653660**  
Carrier bracket – galvanised  
65mm x 35mm x 60mm x 6mm



**CB50**  
50mm, carrier bracket – galvanised  
65mm x 35mm x 60mm x 6mm



## Other Accessories



**WA180DW**  
Wobble arm 180 – double wobble



**TWCA**  
Tri-wobble carrier arm



**DKRS150**  
Double keel roller support 150mm

**DKRS200**  
Double keel roller support 200mm

# ROLLER ACCESSORIES

## Plates



**RMP6H**  
Roller mounting plate  
– 6 hole



**RMFP120**  
Flate plate, 120mm



**RMFB105**  
Front brace, 105mm



**RM6022**  
60mm roller mount,  
22mm hole

## Brackets



**KRB90N**  
Keel roller bracket – 90mm



**KRB100N**  
Keel roller bracket, 100mm



**KRB618N**  
Keel roller bracket to suit  
6-inch roller (150mm)  
– 18mm Hole



**MB6535N**  
Mounting bracket to suit  
65mm x 35mm  
– right hand side



**RABRB75N**  
6-inch roller bracket



**RABRB100N**  
8-inch roller bracket



**V006102**  
Lower roller lug



**V006103**  
Higher roller lug



**V006104**  
Lower roller lug



**U4413B**  
U Bracket, 41mm x 13mm



**CPM106442G**  
Clamp plate M10mm x 65mm x 42mm – galvanised

## Pins\*



### RRSS18016

304 roller pin 180mm x 16mm – stainless steel



### RPSS24019

304 roller pin 240mm x 19mm – stainless steel



**\* CUSTOM DESIGN:** Meher can now manufacture Pins to your specifications.  
If you have a unique size, please contact us and we will make for you.


# BOAT TRAILER ACCESSORIES



**BMRS**  
Boomerang Small



**BMRM**  
Boomerang Medium



**WMS75**  
Winchmount



**WMF75**  
Winchmount



**WMF1-75**  
Winchmount



**WP500**  
Winchpost, 500mm

# PLATES – MULTI USE

## Coupling Plates\*



### CPNBN

Coupling plate for non-braked couplings



### CPMBN

Coupling plate for multi and non-braked couplings



### CPCSW

Coupling plate chain spacer washer



**\* CUSTOM DESIGN:** Meher can now manufacture Plates to customer specifications. If you have a unique size, please contact us and we will make for you.

## Winch Posts



### WPP2004N

Winch post plate, 200mm, 4 hole – natural



### WPP3804N

Winch post plate, 380mm, 4 hole – natural



### WPP4004N

Winch post plate, 400mm, 4 hole – natural




### WPP4006N

Winch post plate, 400mm, 6 hole – natural



### WPP4304N

Winch post plate, 430mm, 4 hole – natural



### WPP135N

Winch post plate  
80mm x 6mm x 135mm



## Suspension Mounts




### SMTAPWN

Suspension mount torsion axle plate – weldable

## Various



A sample of the various plates we manufacture, Please Ask for more details.



# BOX TRAILER ACCESSORIES

## Tailgates and Hardware

---



**BTHTGM**  
Weld-on mount  
for tailgates



**BHTTGS**  
Springs for tailgates



**HANDLELG**  
Box trailer handles



**SHEET TAILGATE**  
Sheet bent tailgates



**ALUSTTAILGATE**  
Aluminium and steel mixed tailgate



**LIGHTBOARD**  
Sheet bent light panels

## Side Panels

---



**SIDE PANELS**  
Sheet bent side panels

## Hinges



### **HINGE161690N**

Welded hinge assembly, 16mm x 90mm



### **HINGE1616125HN**

Welded hinge assembly, 16mm x 125mm



### **HINGE1619100N**

Welded hinge assembly, 19mm x 100mm



### **HINGE1619120HN**

Welded hinge assembly, 19mm x 120mm

# BOX TRAILER ACCESSORIES

## Hinge Pins



### HINGEPIN100N

Hinge pin 10mm diameter, 10mm offset, 100mm long



### HINGEPIN120HN

Hinge Pin 10mm diameter, 10mm offset, 120mm long – with hole



### HINGEPIN120HWN

Hinge pin 10mm diameter, 10mm offset, 120mm long – with hole and washer



### HDHINGEPIN19130N

Heavy duty hinge pin 19mm diameter, 130mm long



### HDHINGEPIN19140HN

Heavy duty hinge pin – stockcrate 140mm



### HDHINGEPIN19180HN

Heavy duty hinge pin – stockcrate 180mm

## Hinge Straps



**HINGESTRAP5123080**

5mm thick, 12mm hole, 30mm wide, 80mm length



**HINGESTRAP5183090**

5mm thick, 18mm hole, 30mm wide, 90mm length



**HINGESTRAP51230155**


5mm thick, 12mm hole, 30mm wide, 155mm length



**HINGESTRAP51640155**

5mm thick, 16mm hole, 40mm wide, 155mm length

## Hinge Straps Accessories



**HINGESOCKET**

Welded hinge socket



**HINGETAB**

Lug stock crate pin, 19mm



**HINGETABHD**

Lug 5mm stock crate pin, 19mm


# BOX TRAILER ACCESSORIES

## Builders Racks



### BRSINGLE

Builders rack - single



### BRDOUBLE

Builders rack - double

## Plates



### BPVS

Bent Plate – various sizes

## A-Frame Accessories



### TIPACATCH

Tipper A-frame catch



### 3WWB

Springs for tailgates



### PIN240Z

Pin 25mm x 240mm



### PIN600Z

Pin 25mm x 600mm

## Cages and Fences\*



### SQUARE CAGE

Cages / fence made from RHS material



### ROUNDPIPE

Cages / fence made from round tube



**\* PLEASE NOTE:** Actual items may differ in style and colour to those pictured.

## Lock Pins



### LOCKPIN10WC

Locking pin, 10mm  
– with chain



### LOCKPIN16N

Locking pin, 16mm  
– natural



### LOCKPIN19WC

Locking pin, 19mm  
– with chain



### LOCKPIN19N

Locking pin, 19mm  
– natural



# RAW MATERIALS




## PLYWOOD

Marine grade plywood for trailers



## DECKSCRMURO

Muro deck screws for plywood



## TREADPLATE

Aluminium treadplate – 5 bar diamond finish

## Shop

If you need help choosing the correct product, please call us and one of our friendly customer service representatives will help you.

Once you have chosen your items, please fill out the form on the next sheet, and email, fax or phone it through.

## Ordering

**Phone:** +64 7 847 4857

**Email:** [nzsales@themehergroup.co.nz](mailto:nzsales@themehergroup.co.nz)

We will advise any shortages and costs of freight *(if applicable)*.

Backorders will not be charged for until they arrive, and will be sent out free into store.

Custom or non-stocked items will need to be pre-paid *(unless otherwise agreed)*.

## Payment Methods and Faster Processing

### Cash

### Account

### Bank Deposit

In all instances, we will attempt to ship your order the same business day as the receipt of your funds. Some banks can transfer instantly, others can take up to 3 days depending on your financial institution.

If you are urgently requiring parts, deposit directly at any ANZ branch and the funds should go in straight away. The same applies if you bank with them and complete a phone or internet transfer.

The quote will have our banking details at the bottom of the page. Please use the invoice number as a banking reference and call us once this is done. This is so we can start packing your shipment, ready for the next despatch.

## Delivery

### Using your freight

Please advise your account number.

### Using our freight

We have done the best to get the cheapest freight available and will charge this to the bottom of your invoice. For stock shipments, we will supply free into store based on a minimum order spend, where you are located and the details that have been negotiated.

# ORDER FORM



## Meher Trailer Products NZ Ltd

81A Killarney Lane, Frankton, Hamilton 3204, New Zealand

**All orders or enquiries:** Phone: +64 7 847 4857 Email: [nzsales@themehergroup.co.nz](mailto:nzsales@themehergroup.co.nz)

Company: \_\_\_\_\_ Date: \_\_\_\_\_

Ordered by: \_\_\_\_\_ Order Number: \_\_\_\_\_

Address: \_\_\_\_\_ Phone: \_\_\_\_\_

\_\_\_\_\_ Fax: \_\_\_\_\_

Email: \_\_\_\_\_

### Freight Method

Freight: \_\_\_\_\_ Pick up: \_\_\_\_\_

Account Number: \_\_\_\_\_ Charge freight: \_\_\_\_\_

QUANTITY	PART NUMBER	DESCRIPTION	PRICE (IF QUOTED)
BACKORDERS IF NIL IN STOCK:    YES    NO    ADVISE			

# ORDER FORM

[illegible]

The background of the entire page is a detailed, dark grey technical drawing. It features a complex arrangement of mechanical parts, including gears, shafts, and structural frames, overlaid with a network of fine lines representing electrical wiring and circuit components. Various alphanumeric labels (e.g., 1, 2, 3, 6, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100) are scattered throughout the drawing, indicating specific components or points of interest. The overall aesthetic is industrial and precise.

# MANUFACTURING CAPABILITIES

---



# MANUFACTURING CAPABILITIES

With a proud history of innovative manufacturing, Meher has been operating since 1995.

Our in-house manufacturing competencies span across CAD and CAM and are coupled with robotic arm welders, presses, casting and forging capabilities. Thanks to ongoing investment in our state-of-the-art machinery we can manage the entire manufacturing process. From concept and design all the way to installation. This gives our clients better control, more flexibility and faster productions times.

We're always looking for ways to improve, too. Whether it's new technologies, shrinking our environmental footprint, or embracing the Meher design philosophy.

The following pages are a just a snap shot of the machines we have to utilise within our New Zealand premises.


Which means we have the capabilities to design, manufacture and modify in-house. This provides fast, efficient and accurate production, a high level of customisation, no supply chain disruptions, quality assurance and plenty of local support.

In other words, satisfaction guaranteed.



# IW-45M – Single Cylinder Hydraulic Ironworker

The IW-45M is a hydraulic punch and shear ironworker, that is capable of a wide range of applications that allows us to meet the diversified needs of metal fabricating.



## Capacities and Specifications

Punching force / pressure	45 Ton	Flat bar shear	350mm x 8mm
Punch capacity	ø22mm x 15mm	Flat bar shear – Width x thickness	180mm x 12mm
Punch capacity – diameter x thickness	ø40mm x 8mm	Flat bar shear – blade length	360mm
Punching throat depth	175mm	Angle flange trim	75mm
Punching maximum stroke length	35mm	Round solid bar shear	ø25mm
Punching cycles (15mm stroke)	31cpm	Square solid bar shear	25mm x 25mm
Angle shear – 90°	75 x 75 x 6mm		
Angle shear – 45°	50mm x 50mm x 6mm		



# BS-912 – Metal Cutting Band Saw

The BS-912 is a large and versatile cutting saw. This powerful machine represents one of the easiest and fastest ways to cut metal, either vertical or horizontal gives us the flexibility of providing standard or unique products for our clients.




## Capacities and Specifications

Operation type	Fixed head	Beam type	Manual
Round – 90°	230mm	Down feed control	Adjustable hydraulic
Round – 45°	150mm	Speeds m/mm	26-50-73-95
Square – 90°	230mm	Size	2654mm L x 27mm W x 0.9mm T
Square – 45°	127mm		
Rectangle – 90°	305mm x 178mm		
Rectangle – 45°	150mm x 127mm		

# PD-440 – Heavy-Duty Pedestal Drill

A heavy-duty 3 morse taper drilling machine, used for drilling cylindrical holes in materials as well as being able to execute reaming, countersinking, tapping and counter boring.



## Features

- Table tilts left & right to 45° & rotates
- Drilling depth stop
- Work light mounted underneath drill head to provide direct light onto the work piece
- T slotted work table

## Capacities and Specifications

Drilling diameter capacity	ø28mm
Spindle taper	3mt
Spindle travel	120mm
Throat depth	220mm
Spindle speed steps	12
Spindle speed range	150 – 2450rpm

# BS-76 – Belt Linisher Sander

A versatile machine used to smooth, shape and refine metal parts.



## Features

- 6-inch or 150mm wide belt
- 2000mm belt length
- Tilting finishing head
- Variable belt speeds

## Capacities and Specifications

Operation type	Linisher sander
<b>Belt</b>	
Speed – fpm / mpm	2850, 5700 / 870, 1740
Size	150mm x 2000mm
Motor speed	1420rpm / 2840rpm



# WT200MP – Inverter Multi-function Welder

A multi-process welder that offers more flexibility with its multi-process welding functionality which improve overall efficiency and allows the use of MIG, TIG and Stick with the one machine.



## Features


- 200amp gas/gasless
- 15kg spool capable
- Lightweight and robust construction
- Inductance control
- 60% Duty cycle – 160amp
- 3m Euro connect torch with ARC and earth lead and regulator

## Capacities and Specifications

Type	MIG-MMA
Voltage	230 volts
Recommended plug amperage	15amps
MIG welding current range	200amps
MMA welding current range	200amps
Duty cycle	60% at 160amps

# TL1 – Toolroom Lathe

The TL1 Series Lathe is easy to use, and offers the precision control. The perfect machine for shaping metal and providing our clients with nicely crafted products.



## Features


- 1800rpm spindle, A2-5
- Coolant pump kit
- Control touch screen
- Cross-slide, tooling ready

## Capacities and Specifications

Over Front Apron	508 mm
Over Cross Slide	279 mm
Chuck	203 mm
Max Cutting Length	762 mm
Max Cutting Diameter	406 mm
Spindle Nose	A2-5
Max Speed	1800 rpm
Max Torque	146.0 Nm @ 355 rpm
Spindle Bore ø	58.0 mm

# VB-300 – Metal Cutting Vertical Band Saw

Metal cutting band saws can offer large cutting capacities not achievable with circular blade. This all-in-one bandsaw includes a built-in blade shear, welding station, grinder and swarf air blower giving us greater advantage of providing a complete product for our clients.



## Features

- Variable cutting and blade speeds
- Table tilts  $\pm 15^\circ$  in all four directions
- Lightweight and robust construction
- Includes; blade butt welder, grinder, shears and blade air blower

## Capacities and Specifications

Throat capacity	310mm
Height capacity	175mm
Speeds	20 - 90 m/min
Blade length	2510mm
Welder capacity	3 - 13mm

# HEP-150 – Hydraulic Electric Powered Frame Press

HEP150 is ideal for pressing, installation/removal of bearings, repair of electric motors, forming and bending applications. Versatile enough that can handle small to bulky or off centre pressing jobs.



## Features

- 3 Phase pump and motor

## Capacities and Specifications

Stroke	350mm
Distance between frames	1100mm or 1250mm
Depth of frame	450mm
Motor	7.5kW
Table size	700mm x 530mm
Overall height	2310mm



## WORKSHEET OR NOTES

Worksheet area with horizontal dotted lines for writing.



## Meher Trailer Products New Zealand

### New Zealand

17 Grasslands Place, Frankton, Hamilton 3204, New Zealand

Phone: +64 7 847 4857 Email: [nzsales@themehergroup.co.nz](mailto:nzsales@themehergroup.co.nz)

### Head Office – Australia

11 National Drive, Hallam, VIC 3803, Australia

Phone: +61 3 8795 7088 Email: [sales@themehergroup.com](mailto:sales@themehergroup.com)

Australia  
Victoria  
Queensland  
New South Wales

Mauritius  
Quatre Bornes

USA  
Illinois

UAE  
Dubai

China

New Zealand  
Hamilton

Netherlands  
Delft

Hungary

Malaysia  
Selangor

Canada  
British Columbia

India

[www.themehergroup.com](http://www.themehergroup.com)

